ACLS Checkl	list Report		Printed: 2016-Aug-04 08
	Project: 2016	04001 - Te	st survey
Type o	of Survey: Parcel Survey		
Survey	Document: 1003 - Plan of Survey of Parce		
	Surveyor: Jean Tetreault Permi	t Holder A BO	UND CORPORATION
	Checklist: 50 Pla	an of Surv	vey of Parcel
Checklis	t Number::		Date Issued:
Amended Check	list From:		Includes Natural Boundary: Yes
			Includes Georeferencing Data: Yes
Category	Item	Response	Comments
Plan Title	CLSR and LTO/LRO plan number blocks present on the plan	Unanswered	
Plan Title	Specify Sheet x of n for multi sheet plans	Unanswered	
Plan Title	Plan of Survey of (boundary , parcel desginator, easement, row, licence, etc.) See mouse	Unanswered	
Plan Title	Name and number of Reserve (spell out), National Park of Canada, etc.	Unanswered	
Plan Title	New Parcel designators shown, (Lot #, Block #, Quad, Road, Subdivision names)	Unanswered	
Plan Title	The name of the subdivision, town site, community, and/or municipality in which the survey	Unanswered	
Plan Title	Section, Township & Range, or Lot and Concession (note if theoretical)	Unanswered	
Plan Title	The District or County (if appropriate)	Unanswered	
Plan Title	The Province or Territory	Unanswered	
Plan Title	Plan Scale Ratio and Bar Scale shown to standard	Unanswered	
Plan Title	Plot Size Stated	Unanswered	
Plan Title	Period of Field Survey Statement.	Unanswered	
Plan Title	Comprising Statement shown (when appropriate): includes legal descriptions of underlying p	Unanswered	
Legend	Explanation of other line types	Unanswered	
Legend	Source of any derived data, included methods used to plot features	Unanswered	
Legend	Explanation of all symbols shown	Unanswered	
Legend	Bearing Statement	Unanswered	
Legend	Explanation of all abbreviations used	Unanswered	
Legend	Lands or boundaries dealt with shown thus	Unanswered	
Legend	Distance Units (horizontal at general ground level) specified	Unanswered	

Legend Monument Markings described Unanswered  Legend Anoillary Monumentation described Unanswered  Legend Boundaries Cut and Blazed Unanswered  Legend Boundaries Cut and Blazed Unanswered  Legend Supplementary Field Notes/Survey Report Cross Reference if applicable Officeron in the gland disgram shows all CORs and other control points used in the survey is referenced to a minimum of 2 GOPs  Georeferencing The plan disgram shows ties to GOPs  Georeferencing The condinates of all GOPs and any other control survey monuments whom Unanswered  Georeferencing The sone of the coordinate system Unanswered  Georeferencing The sone of the coordinate system Shown Unanswered  Georeferencing The sone of the coordinate system Unanswered  Georeferencing The combined scale factor for each GOP show The survey is see-referenced with respect to the NADS3 (CSRS) Unanswered  Georeferencing The estimated absolute accuracy of all COPs and GOP show The survey is see-referenced with respect to the NADS3 (CSRS) Unanswered  Georeferencing The estimated shealthed and how any adjustment was performed in Commonwered Unanswered  Georeferencing The estimated shealthe accuracy of CoPs are 9.10 metres or better Unanswered  Georeferencing The estimated shealthe accuracy of CoPs are 9.10 metres or better Unanswered  Georeferencing Absolute accuracy of Unanswered  Georeferencing Absolute accuracy of Unanswered  Georeferencing Absolute accuracy of Unanswered  Georeferencing CPs are geo-referenced by an approved method on the GOP of the good o				
Legend Ancillary Monumentation described Unanowered  Legend Boundaries Cut and Blazed Unanowered  Legend Supplementary Field Notes/Survey Report Cross Reference if applicable Cooreferencing The plan diagram shows all CCPs and Cooreferencing The plan diagram shows ties to CCPs Unanowered  Georeferencing The plan diagram shows ties to CCPs Unanowered Survey Secretary Secretar	Legend	Scale Factor specified	Unanswered	
Legend Boundaries Cut and Blazed Unanswered  Legend Supplementary Field Notes/Survey Report Cross Reference if applicable Chanswered  Georeferencing The plan diagram shows all CCPs and other control points used in the Survey Control of CPs and other control points used in the Survey of Preferenced to a minimum of 2 GCPs Control of CPs and other control survey monuments and CPs and any other control survey monuments and CPs and Survey of the Control of CPs and CPs and Survey CPS and	Legend	Monument Markings described	Unanswered	
Legend Supplementary Field Notes/Survey Regort Cross Reference if applicable Georeferencing The plan disgram shows all CGPs and other control points used in the survey in referenced to a minimum of 2 GCPs Georeferencing The plan disgram shows ties to GCPs Georeferencing The plan disgram shows ties to GCPs Georeferencing Table of coordinates of all GCPs and any other control survey monuments shown Georeferencing The coordinate projection shown Georeferencing The coordinate projection shown Georeferencing The combined scale factor for each GCP shown Georeferencing The combined scale factor for each GCP shown Georeferencing The extinsted shoulute securacy of all GCPs are a state of all GCPs are a	Legend	Ancillary Monumentation described	Unanswered	
Report Cross Reference if applicable Georeferencing The plan diagram shows all GCPs and other control points used in the survey; Georeferencing The survey is referenced to a minimum of 2 GCPs Georeferencing The plan diagram shows ties to GCPs Georeferencing Table of coordinates of all GCPs and any other control survey monuments shown Georeferencing The coordinate projection shown Georeferencing The condinate projection shown Georeferencing The condinate system Unanswered Georeferencing The condinate system Unanswered Georeferencing The combined scale factor for each OCP shown Georeferencing The catimated absolute accuracy of all GCPs are stated in the coordinate table Georeferencing The survey is geo-referenced with respect to the NADS (CSRS) Georeferencing The version (epoch) of the NAD 83 (CSRS) (CSRS) (Asim used is shown Georeferencing The version (epoch) of the NAD 83 (CSRS) (CSRS) (Asim used is shown Georeferencing The collision of GCPs included on the Key Plan (if required for clarity) Georeferencing The ellipsoid height of each GCP is shown Georeferencing The calinated absolute accuracy of CCPs are 0.10 metres or better Georeferencing The calinated absolute accuracy of CCPs are 0.10 metres or better Georeferencing The calinated absolute accuracy of CCPs are 0.10 metres or better Georeferencing The calinated absolute accuracy of CCPs are 0.10 metres or better Georeferencing All GCPs are geo-referenced by an approved method Georeferencing CCPs are geo-referenced by an approved method Georeferencing CCPs plants are labeled with GCP on diagram Georeferencing GCP points are labeled with GCP on diagram GCOPFerencing GCP points are labeled with GCP on diagram GCOPFerencing GCP points are labeled with GCP on diagram GCOPFerencing GCP points are labeled with GCP on diagram GCOPFerencing GCP points are labeled with GCP on diagram GCOPFerencing GCP points are labeled with GCP on diagram	Legend	Boundaries Cut and Blazed	Unanswered	
Secretaring of the survey is referenced to a minimum of 2 CCDs and any other control survey monuments shown the source of sell CCPs and any other control survey monuments shown the coordinates of sell CCPs and any other control survey monuments shown the coordinate projection shown the coordinate system shown the combined scale factor for each GCP shown the coordinate system shown the coordinate system shown the combined scale factor for each GCP shown the coordinate system shown the coordinate system shown the coordinate state of in the coordinate state of the coordinate system the coordinate state of the coordinate system the coordinate state of the state of the shown the coordinate state of the shown the special shown the special shown the special shown the s	Legend		Unanswered	
Georeferencing The survey is referenced to a minimum of 2 GCPs  Georeferencing Table of coordinates of all GCPs and any other control survey monuments shown  Georeferencing The coordinates of all GCPs and any other control survey monuments shown  Georeferencing The coordinate projection shown  Georeferencing The sone of the coordinate system shown  Georeferencing The combined scale factor for each GCP shown  Georeferencing The combined scale factor for each GCP shown  Georeferencing The survey is geo-referenced with respect to the NAD83 (CSRS) Unanswered  Georeferencing The survey is geo-referenced with respect to the NAD83 (CSRS) Unanswered  Georeferencing The version (spoch) of the NAD 83 (CSRS) Idatum used is shown  Georeferencing A statement regarding how coordinates were obtained and how any addustness was obtained and how any addustness was obtained and how any addustness was performed i.  Georeferencing The ellipsoid height of calacity)  Georeferencing The estimated absolute accuracy of GCPs are 0.10 metres or better  Georeferencing The stimated absolute accuracy of Unanswered  Georeferencing The stimated absolute accuracy of GCPs are 0.10 metres or better  Georeferencing All GCPs are physically marked on the ground  Unanswered  Georeferencing All GCPs are geo-referenced by an approved method  Georeferencing GCP points are labeled with GCP on diagram  Georeferencing GCP points are labeled with GCP on diagram  Georeferencing Georeferenced to absolute accuracy	Georeferencing	other control points used in the	Unanswered	
Georeferencing Table of coordinates of all GCPs and any other control survey monuments shown The cone of the coordinate system Shown The rone of the coordinate system Shown Unanswered  Georeferencing The combined scale factor for each GCP shown Georeferencing The estimated absolute accuarcy of all GCPs are stated in the coordinate table Georeferencing The version (epoch) of the NAD 83 (CSRS) Satum used is shown Unanswered  Georeferencing The version (epoch) of the NAD 83 (CSRS) Satum used is shown Unanswered  Georeferencing The version (epoch) of the NAD 83 (CSRS) Shatum used is shown Unanswered  Georeferencing The version (epoch) of the NAD 83 (CSRS) Shatum used is shown Unanswered  Georeferencing The version (epoch) of the NAD 83 (CSRS) Shatum used is shown Unanswered  Georeferencing The estimated absolute accuracy of GCPs included on the Key Plan (if required for clarity) Unanswered  Georeferencing The estimated absolute accuracy of GCPs are 0.10 metres or better Georeferencing All GCPs are physically marked on the ground Unanswered  Georeferencing All GCPs are physically marked on the ground Unanswered  Georeferencing GCPs are geo-referenced by an approved method  Georeferencing GCP points are labeled with GCP on diagram Unanswered  Georeferencing GCP points are labeled with GCP on diagram Unanswered  Georeferencing Georeferencing GCP points are labeled with GCP on diagram Unanswered	Georeferencing	The survey is referenced to a	Unanswered	
any other control survey monuments shown Georeferencing The coordinate projection shown The some of the coordinate system shown The combined scale factor for each GCP shown Georeferencing The combined scale factor for each GCP shown Georeferencing The estimated absolute accuracy of all GCPs are stated in the coordinate table Georeferencing The survey is geo-referenced with respect to the NADB3 (CSRS) Georeferencing The version (epoch) of the NAD 83 (CSRS) datum used is shown Georeferencing A statement regarding how coordinates were obtained and how any adjustment was performed i.  Georeferencing The estimated on the KPP Plan (if required for olarity) Plan (if required for olarity) Plan (if required for olarity) Georeferencing The ellipsoid height of each GCP is shown Georeferencing The stimated absolute accuracy of GCPs are 0.10 metres or better Georeferencing All GCPs are physically marked on the ground The ground Walve Accuracy of Survey is 0.20 metres or better Georeferencing GCPs are geo-referenced by an approved method Georeferencing GCPs are labeled with GCP on diagram Georeferencing GCP points are labeled with GCP on diagram Georeferencing GCP georeferenced to absolute accuracy	Georeferencing	The plan diagram shows ties to GCPs	Unanswered	
Georeferencing The zone of the coordinate system shown Unanswered  Georeferencing The combined scale factor for each CCP shown Unanswered  Georeferencing The estimated absolute accuarcy of all GCPs are stated in the coordinate table coordinate table The survey is geo-referenced with respect to the NADB3 (CSRS)  Georeferencing The version (epoch) of the NAD 83 (CSRS) (datum used is shown Unanswered  Georeferencing A statement regarding how coordinates were obtained and how any adjustment was performed i.  Georeferencing Location of GCPs included on the Key Plan (if required for clarity)  Georeferencing The estimated absolute accuracy of GCPs are 0.10 metres or better  Georeferencing All GCPs are physically marked on the ground Unanswered  Georeferencing CFPs are geo-referenced by an approved method Unanswered  Georeferencing GCP points are labeled with GCP on diagram Unanswered  Georeferencing GCP points are labeled with GCP on diagram Unanswered  Georeferencing GCP points are labeled with GCP on diagram Unanswered  Georeferencing GCP points are labeled with GCP on diagram Georeferenced to absolute accuracy	Georeferencing	any other control survey monuments	Unanswered	
Shown Ceoreferencing The combined scale factor for each GCP shown Unanswered Unanswered Seoreferencing The estimated absolute accuarcy of all GCPs are stated in the coordinate table Unanswered Seoreferencing The survey is geo-referenced with respect to the NAD83 (CSRS) Unanswered (CSRS) (CSRS) (Datum used is shown Unanswered (CSRS) (CSRS) (Datum used is shown Unanswered (DADS) (CSRS) (Datum used is shown Unanswered (DADS) (CSRS) (Datum used is shown Unanswered (DADS) (CSRS) (DATUM USED) (DADS) (	Georeferencing	The coordinate projection shown	Unanswered	
GCP shown  GCP shown  GCP shown  The estimated absolute accuarcy of all GCPs are stated in the coordinate table  Georeferencing  The survey is geo-referenced with respect to the NAD83 (CSRS)  Georeferencing  The version (epoch) of the NAD83 (CSRS)  GCSR ) datum used is shown  Georeferencing  A statement regarding how coordinates were obtained and how any adjustment was performed i  Georeferencing  The ellipsoid height of each GCP is shown  Georeferencing  The ellipsoid height of each GCP is shown  Georeferencing  Georeferencing  The estimated absolute accuracy of GCPs are 0.10 metres or better  Georeferencing  All GCPs are physically marked on the ground  Georeferencing  Absolute Accuracy of Survey is 0.20 metres or better  Georeferencing  GCPs are geo-referenced by an approved method  Georeferencing  GCP points are labeled with GCP on diagram  Georeferencing  GCP points are labeled with GCP on diagram  Unanswered  Georeferencing  Georeferencing  GCP points are labeled with GCP on diagram  Unanswered  Georeferencing  GCP points are labeled with GCP on diagram  Unanswered  Georeferencing  GCP points are labeled with GCP Unanswered  Georeferencing  GCP gooreferenced to absolute accuracy	Georeferencing		Unanswered	
all GCPs are stated in the coordinate table  The survey is geo-referenced with respect to the NAD83 (CSRS)  Georeferencing  The version (epoch) of the NAD 83 (CSRS) datum used is shown  Georeferencing  A statement regarding how coordinates were obtained and how any adjustment was performed i  Location of GCPs included on the Key Plan (if required for clarity)  Georeferencing  The ellipsoid height of each GCP is shown  Georeferencing  The estimated absolute accuracy of GCPs are 0.10 metres or better  Georeferencing  Absolute Accuracy of Survey is 0.20 metres or better  Georeferencing  Georeferencing  GCPs are geo-referenced by an approved method  GCP points are labeled with GCP on diagram  Georeferencing  Georeferencing  Georeferencing  GCP points are labeled with GCP on diagram  Georeferencing  Georeferencing  Georeferencing  Georeferencing  GCP goints are labeled with GCP on diagram  GGCP contains the couracy of Survey is 0.20 metres or deter so the couracy of Unanswered  Georeferencing  GCP points are labeled with GCP on diagram  GGCP of contains the couracy of Survey is 0.20 metres or deter so the couracy of Unanswered  Georeferencing  GCP points are labeled with GCP on diagram  GGCP of contains the couracy of Survey is 0.20 metres or deter so the couracy of Unanswered  GGCP of contains are labeled with GCP on diagram	Georeferencing		Unanswered	
respect to the NAD83 (CSRS)  Unanswered  Georeferencing  The version (epoch) of the NAD 83 (CSRS ) datum used is shown  Georeferencing  A statement regarding how coordinates were obtained and how any adjustment was performed i  Georeferencing  Location of GCPs included on the Key Plan (if required for clarity)  Georeferencing  The ellipsoid height of each GCP is shown  Georeferencing  The estimated absolute accuracy of GCPs are 0.10 metres or better  All GCPs are physically marked on the ground  Georeferencing  Absolute Accuracy of Survey is 0.20 metres or better  Georeferencing  GCPs are geo-referenced by an approved method  Georeferencing  GCP points are labeled with GCP on diagram  Georeferencing  Georeferencing  Georeferenced to absolute accuracy  Georeferencing  GCP goreferenced to absolute accuracy  Unanswered  Unanswered  Unanswered  Unanswered  Unanswered  Georeferencing  GCP points are labeled with GCP Unanswered  Georeferencing  Georeferencing  Georeferencing  GCP goints are labeled with GCP Unanswered  Georeferencing	Georeferencing	all GCPs are stated in the	Unanswered	
Georeferencing A statement regarding how coordinates were obtained and how any adjustment was performed i  Georeferencing Location of GCPs included on the Key Plan (if required for clarity)  Georeferencing The ellipsoid height of each GCP is shown  Georeferencing The estimated absolute accuracy of GCPs are 0.10 metres or better  Georeferencing All GCPs are physically marked on the ground  Georeferencing Absolute Accuracy of Survey is 0.20 metres or better  Georeferencing GCPs are geo-referenced by an approved method  Georeferencing GCP points are labeled with GCP on diagram  Georeferencing Georeferenced to absolute accuracy  Georeferencing GCP georeferenced to absolute accuracy  Georeferencing GCP points are labeled with GCP on diagram  Georeferencing GCP georeferenced to absolute accuracy	Georeferencing		Unanswered	
coordinates were obtained and how any adjustment was performed i  Georeferencing Location of GCPs included on the Key Plan (if required for clarity) Unanswered  Georeferencing The ellipsoid height of each GCP is shown Unanswered  Georeferencing The estimated absolute accuracy of GCPs are 0.10 metres or better Unanswered  Georeferencing All GCPs are physically marked on the ground Unanswered  Georeferencing Absolute Accuracy of Survey is 0.20 metres or better Unanswered  Georeferencing GCPs are geo-referenced by an approved method Unanswered  Georeferencing GCP points are labeled with GCP on diagram Unanswered  Georeferencing Georeferenced to absolute accuracy	Georeferencing	_	Unanswered	
Georeferencing Location of GCPs included on the Key Plan (if required for clarity)  Georeferencing The ellipsoid height of each GCP is shown  The estimated absolute accuracy of GCPs are 0.10 metres or better  Georeferencing All GCPs are physically marked on the ground  Georeferencing Absolute Accuracy of Survey is 0.20 metres or better  Georeferencing GCPs are geo-referenced by an approved method  Georeferencing GCP points are labeled with GCP on diagram  Georeferencing Georeferenced to absolute accuracy	Georeferencing	coordinates were obtained and how	Unanswered	
Shown  Georeferencing  The estimated absolute accuracy of GCPs are 0.10 metres or better  Georeferencing  All GCPs are physically marked on the ground  Georeferencing  Absolute Accuracy of Survey is 0.20 metres or better  Georeferencing  GCPs are geo-referenced by an approved method  Georeferencing  GCP points are labeled with GCP on diagram  Georeferencing  Georeferenced to absolute accuracy  Georeferencing  Georeferenced to absolute accuracy	Georeferencing	Location of GCPs included on the Key	Unanswered	
Georeferencing All GCPs are physically marked on the ground Unanswered  Georeferencing Absolute Accuracy of Survey is 0.20 metres or better Unanswered  Georeferencing GCPs are geo-referenced by an approved method Unanswered  Georeferencing GCP points are labeled with GCP on diagram Unanswered  Georeferencing Georeferenced to absolute accuracy	Georeferencing		Unanswered	
the ground  Unanswered  Georeferencing  Absolute Accuracy of Survey is 0.20 metres or better  Unanswered  Georeferencing  GCPs are geo-referenced by an approved method  Georeferencing  GCP points are labeled with GCP on diagram  Georeferencing  Georeferenced to absolute accuracy	Georeferencing		Unanswered	
metres or better  Unanswered  Georeferencing  GCPs are geo-referenced by an approved method  Unanswered  Georeferencing  GCP points are labeled with GCP on diagram  Unanswered  Unanswered  Georeferencing  Georeferenced to absolute accuracy	Georeferencing		Unanswered	
approved method Unanswered  Georeferencing GCP points are labeled with GCP on diagram Unanswered  Georeferencing Georeferenced to absolute accuracy	Georeferencing		Unanswered	
on diagram Unanswered  Georeferencing Georeferenced to absolute accuracy	Georeferencing		Unanswered	
	Georeferencing	=	Unanswered	
	Georeferencing	_	Unanswered	

Ties to Natural Boundary shown	Unanswered	
Ties and/or Coordinates shown in table form on plan ( if required for clarity)	Unanswered	
If required, multiple measuremments shown on separate field notes (To avoid clutter on the	Unanswered	
Annotated photograhs of natural boundary included with field notes or report	Unanswered	
Located water boundaries in accordance with current standards	Unanswered	
Aerial Photographs, Maps, or imagery used for natural boundary location included with fiel	Unanswered	
Water Boundary plotted to an accuarcy of 0.5mm at plan scale	Unanswered	
Lands exclude 30.48 reserve where applicable (Yukon)	Unanswered	
Dashed line shown on plan 30.48 m from natural boundary (NWT, NU)	Unanswered	
Identify sources used to plot natural boundary if ties not shown on plan	Unanswered	
If intersecting with a water boundary, monument placed on	Unanswered	
Natural Boundary Labelled, e.g. OHWM, Top of Bank etc.	Unanswered	
Digital Seal on Electronic Documents	Unanswered	
SGB Endorsement block shown	Unanswered	
All Necessary land administrator and planning endorsement block shown	Unanswered	
Ownership of all lands dealt with have been researched and determined	Unanswered	
SGB File No. And Reference No.	Unanswered	
Appropriate Endorsements and Affidavits	Unanswered	
Suveyor's Certification and Seal; Certified Correct	Unanswered	
Date of Certification matches the date the plan is issued	Unanswered	
North arrow shown and diagram oriented so that north points toward top of plan	Unanswered	
Connect to legal survey fabric within 300 m.	Unanswered	
Evidence used to support placed monumentation is shown	Unanswered	
All lost or disturbed monuments used in this survey have been re-established (Re-est)	Unanswered	
	Ties and/or Coordinates shown in table form on plan ( if required for clarity)  If required, multiple measuremments shown on separate field notes (To avoid clutter on the  Annotated photograhs of natural boundary included with field notes or report  Located water boundaries in accordance with current standards  Aerial Photographs, Maps, or imagery used for natural boundary location included with fiel  Water Boundary plotted to an accuarcy of 0.5mm at plan scale  Lands exclude 30.48 reserve where applicable (Yukon)  Dashed line shown on plan 30.48 m from natural boundary (NWT, NU)  Identify sources used to plot natural boundary if ties not shown on plan  If intersecting with a water boundary, monument placed on artificial boundary tabelled, e.g.  OHWM, Top of Bank etc.  Digital Seal on Electronic Documents  SGB Endorsement block shown  All Necessary land administrator and planning endorsement block shown  Ownership of all lands dealt with have been researched and determined  SGB File No. And Reference No.  Appropriate Endorsements and Affidavits  Suveyor's Certification matches the date the plan is issued  North arrow shown and diagram oriented so that north points toward top of plan  Connect to legal survey fabric within 300 m.  Evidence used to support placed monumentation is shown  All lost or disturbed monuments used in this survey have been	Ties and/or Coordinates shown in table form on plan ( if required for clarity)  If required, multiple measuremments shown on separate field notes (To avoid clutter on the  Annotated photograhs of natural boundary included with field notes or report  Located water boundaries in accordance with current standards  Aerial Photographs, Maps, or imagery used for natural boundary location included with fiel  Water Boundary plotted to an accuarcy of 0.5mm at plan scale  Lands exclude 30.48 reserve where applicable (Yukon)  Dashed line shown on plan 30.48 m from natural boundary (NWT, NU)  Identify sources used to plot natural boundary if ties not shown on plan  If intersecting with a water boundary, monument placed on artificial boundary and record d  Natural Boundary Labelled, e.g.  OHWM, Top of Bank etc.  Unanswered  SGB Endorsement block shown  Unanswered  All Necessary land administrator and planning endorsement block shown  Ownership of all lands dealt with have been researched and determined  Appropriate Endorsements and Affidavits  Suveyor's Certification and Seal; Certified Correct  Date of Certification matches the date the plan is issued  North arrow shown and diagram oriented so that north points toward top of plan  Connect to legal survey fabric within 300 m.  Evidence used to support placed monumentation is shown  All lost or disturbed monuments used in this survey have been  Unanswered  Unanswered  Unanswered  Unanswered  Unanswered

Plan Diagram	All bent or obliterated monuments used in the survey have been restored (Res)	Unanswered	
Plan Diagram	Authorized monumentation was used and is described in the legend	Unanswered	
Plan Diagram	Table of coordinates of main monuments	Unanswered	
Plan Diagram	Heavy Black line of lands dealt with	Unanswered	
Plan Diagram	Monuments of a previous survey that have been deemed of no value have been removed	Unanswered	
Plan Diagram	The areas of each parcel, road, R/W's etc. are shown to the required precision	Unanswered	
Plan Diagram	Unsurveyed road forming boundary of lands dealt with correctly	Unanswered	
Plan Diagram	All monuments are marked in accordance with current standards	Unanswered	
Plan Diagram	Descriptions of the types, condition and markings of monuments used in the survey	Unanswered	
Plan Diagram	Detail, tables, insets required for clarity	Unanswered	
Plan Diagram	Ancillary monumentation is used and the type and position is depicted on the plan	Unanswered	
Plan Diagram	Grid bearings and ground distances shown between monuments unless otherwise specified	Unanswered	
Plan Diagram	Curve Data shown	Unanswered	
Plan Diagram	No traverse lines, offsets or radial ties. Unless fundamental to the survey e.g. OHWM	Unanswered	
Plan Diagram	Width of road, R/W or easement dealt with and the name of the street if known	Unanswered	
Plan Diagram	Parcel Designation shown (Lot, Block, Road, RW, Quad etc)	Unanswered	
Plan Diagram	Adjacent parcels and plan numbers shown, boundaries shown with dashed lines except solid w	Unanswered	
Plan Diagram	Underlying parcels and plan numbers are in phantom or broken	Unanswered	
Plan Diagram	Limited rights which have registered land interests affecting the lands dealt with are sho	Unanswered	
Plan Diagram	All evidence searched for or placed reported on plan. Denote FNE when no evidence found of	Unanswered	
Plan Diagram	Description of the types of control monuments	Unanswered	
Plan Diagram	Monument every km or as otherwise specified	Unanswered	
Plan Diagram	Nature and position of features close to boundaries are shown	Unanswered	
Plan Diagram	Reason for witness monuments and witness markings shown	Unanswered	

Plan Diagram	Dimensions of existing boundaries agree within accuracy requirements with previous survey	Unanswered	
Plan Diagram	Any dimensions with significant descrepany with previous surveys have been labeled "CC" to	Unanswered	
Plan Diagram	New Parcels, boundary retracements and intersections are marked by required monumentation	Unanswered	
Plan Diagram	All Water Bodies within lands dealt with shown in dashed lines	Unanswered	
Plan Diagram	Names of water bodies shown	Unanswered	
Plan Diagram	Plan shows which lines have been cut and blazed according to current standards.	Unanswered	
Plan Diagram	Access is shown to each lot dealt with by the plan (if not apparent) (First Nation Lands	Unanswered	
Plan Diagram	The full extent of the lot containing ROW is depicted on the plan (or key plan)	Unanswered	
Plan Diagram	Plan shows line markers placed on boundaries	Unanswered	
Plan Diagram	Right of way is monumented in accordance with current standards	Unanswered	
Plan Diagram	The area of the ROW/road specified on plan.	Unanswered	
Background Information	Key Plan and Large Scale Detail insets oriented with diagram	Unanswered	
Background Information	Dashed lines used when depicting surrounding lot fabric	Unanswered	
Background Information	Key Plan shown	Unanswered	
Background Information	Names of places, features and roads shown	Unanswered	
Background Information	Parcel Remainders shown	Unanswered	
Background Information	Reserve / park boundaries labeled on plan (if applicable)	Unanswered	
Background Information	Name and Number of Reserve on body of plan (if applicable)	Unanswered	
Plan legibility, format	Plan clearly documents the nature and position of the boundaries dealt with by the survey	Unanswered	
Plan legibility, format	Plan is well organized, uncluttered with good choice of layout and space utilization	Unanswered	
Plan legibility, format	Lettering not less than 2mm	Unanswered	
Plan legibility, format	Spelling correct (Band Names and Places)	Unanswered	
Plan legibility, format	Plotting to scale	Unanswered	
Plan legibility, format	Plan size meets specifications	Unanswered	
	1	1	1

Plan legibility, format	Margin of 2cm	Unanswered	
Plan legibility, format	Plans prepared on mylar meet specifications	Unanswered	
Survey Report	Survey Report (if required) is included in returns	Unanswered	
Survey Report	Survey Report complies with Standards	Unanswered	
Survey Report	Survey Report is Certified Correct, c/w digital seal	Unanswered	
Digital Spatial File	Returns include a Digital Spatial File (except O&G in Territories and Offshore)	Unanswered	
Digital Spatial File	The digital spatial file is spatially correct, referred to projected coordinates an repres	Unanswered	
Digital Spatial File	The Data is organized on the appropriate layers and represented using the prescribed data	Unanswered	
Digital Spatial File	The Data is topogically correct and broken at monuments, intersections and deflections.	Unanswered	